

Fuel Tanks



Your local UFA Farm and Ranch Supply store and Petroleum Agency carry a wide range of Westeel fuel tanks and accessories for storage and dispensing of fuel. Above ground fuel tanks, stands and ladders, slip tanks, fuel hoses and nozzles are also available from your local UFA.

Road Vault is recommended for use as a portable containment device for dangerous liquids as it meets the stringent regulations listed on the CAN/CGSB 43, 146-94 Standard for this style and application of tank. Featuring rugged 12 gauge steel construction, the Road Vault's plug style emergency vent provides added security against explosion in case of fire or excessive internal pressure. Double internal baffles within Road-Vault 130 and 165 gallon and the single baffle within the 135 gallon model significantly reduce hydrostatic stock effects due to liquid sloshing. Available in 130 gallon capacity, 135 gallon capacity, and 165 gallon capacity.

Fuel Storage Tanks are built with heavy gauge steel with features such as a 1" drain plug, 2-1/2" combination fill and vent cap opening with lock lug, 1" opening for 1" hose assembly. Westeel fuel tanks are built to offer years of durable performance. Available in either primer coat or aluminum finish. Available in 300 gallon capacity, 500 gallon capacity and 1,000 gallon capacity.

Fuel Storage Tank Stands are available at UFA for 300, 500 and 1,000 gallon fuel tanks in 4', 7' and 9' heights. All galvanized steel construction is strong, heavy and long lasting. Double cross braces are centre bolted for greater rigidity. The stands, which are easy to assemble, include foot pad, catwalk brackets and nozzle protector. The locking type nozzle holder is weather-protected to stand up against the elements.

Fuel Nozzles, Hoses and Accessories complement UFA's line of Fuel Slip Tanks and Fuel Storage Tanks. Medium duty, gravity type fuel nozzles are available. As well, premium fuel hoses adaptable to hand pumps, gravity feed pumps, skid tanks and storage tanks can be ordered through UFA's Farm and Ranch Supply stores and Petroleum Agencies.

Gravity type fuel nozzles available with 3/4", 1" and 1-1/4" spouts.

Hoses available in 3/4", 1" and 1-1/4" diameters.



STANDARD FEATURES

- Durable all steel construction in a horizontal design
- Consists of a heavy gauge tank shell and strong embossed ends to prevent deflection under load
- All exterior surfaces prepared with a chemical wash and finished with a rugged and durable we at-resistant powder coat white
- Heavy duty lifting lug(s) supplied for easy installation and tank placement
- Standard plugged tank openings include a 4" NPT fill opening, 2" NPT pump opening, 2" NPT vent opening, 2" NPT spare opening, 1 1/2" NPT secondary Inspection port, emergency vent 3" (FV12H/20H)/4" (FV41H), interstitial vent 3" (FV12H/20H)/4" (FV41H)